

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th March, 1957—*contd.*

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Bombay—contd.																Madras															
Wardha	38	Madras City	96												
Yeotmal	20	2	Chingleput	31	9												
Aurangabad	4	2	South Arcot	45	14												
Kutch	4	Tiruchirappalli	..	12	9	35	14												
Madhya Saurashtra	1	Tanjore	..	4	3	40	11												
Sorath	8	Madurai	5	2												
TOTAL	..	2	1	863	138	Ramanathapuram	9	2												
Total for w/e 9-3-57	24	8	510	113	North Arcot	10	3												
Total for w/e 2-3-57	48	14	463	102	Salem	44	15												
Delhi								Colmbatore								Kanya kumari															
Delhi City	9	TOTAL	..	16	12	374	94												
New Delhi	12	Total for w/e 9-3-57	6	5	216	53												
Delhi Notified Area Committee	2	Total for w/e 2-3-57	35	21	266	73												
South Delhi Municipality	1	Manipur																					
West Delhi Municipality	4	TOTAL												
TOTAL	26	2	Total for w/e 9-3-57												
Total for w/e 9-3-57	29	12	Total for w/e 2-3-57												
Total for w/e 2-3-57	15	3	Mysore																					
Himachal Pradesh								Bangalore								Kolar															
TOTAL	3	2												
Total for w/e 9-3-57	2												
Total for w/e 2-3-57	6	1												
Kerala								Shimoga								Raichur															
Trivandrum	9	7	2												
Quilon	5	2	4	1	1												
Malabar	2	3	7	1												
TOTAL	16	12	2												
Total for w/e 9-3-57	19	8	1												
Total for w/e 2-3-57	38	7	1												
Madhya Pradesh								Dharwar								North Kanara															
Sehore	2	3	2												
Raisen	3	3												
TOTAL	2	6	TOTAL	..	4	1	26	4												
Total for w/e 9-3-57	9	5	Total for w/e 9-3-57	15	6	41	16												
Total for w/e 2-3-57	35	4	Total for w/e 2-3-57	8	5	80	17												

Explanation of symbols used: C=Cases ; D=Deaths; ...Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th March, 1957—*contd*

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Orissa								Uttar Pradesh																							
Cuttack	15	2	Agra	1		
Balasore	.	.	6	5	17	Allahabad	6	3		
Puri	.	.	17	3	59	9	Ballia	2	1			
Sambalpur	1	Ghazipur	11	2			
Baudh	2	Hardoi	4			
Ganjam	1	1	Jhansi	7			
Koraput	1	Kanpur	2	3			
Mayurbhanj	.	.	4	3	3	Kheri	7	3			
Dhenkanal	11	1	Lucknow	13			
Keonjhar	.	.	1	1	1	Meerut	2			
									Varanasi	5			
									TOTAL--	60	12			
									Total for w/e 9-3-57	46	10			
									Total for w/e 2-3-57	26	11			

Explanation of symbols used; C.—Cases; D.—Deaths; ..—Nil. "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th March, 1957—concl'd.

CHOLERA								SMALLPOX								PLAGUE																							
C.								D.								C.								D.															
ARREAR INFORMATION																POLIOMYELITIS																							
Mysore								(Information based on patients treated in hospitals in important towns):																															
For wks 9-3-57 (Revised Figures)																																							
Bangalore								Place								Fortnight ending								Case								Deaths							
Manaye								Punjab								31-1-57								24								—							
Gulbarga								Do.								15-2-57								12								—							
Raichur								Do.								28-2-57								14								—							
Bijapur								Typhus																															
Dharwar								Place								Period								Cases															
TOTAL.								Greater bombay								23-2-57																(Flea-borne)							
Explanation of symbols used; C.=Cases; D =Deaths; . =Nil.																																							

New DELHI-2 (INDIA);
The 8th April, 1957.

}
K. MITRA,
for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

● COMMUNITY DEVELOPMENT PROGRAMME

● GREAT RIVER VALLEY PROJECTS

● SOCIAL WELFARE SCHEMES

● RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

● 12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
● 10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

AC. 666

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th March, 1957—*contd.*

Town	Mid.-year Popn. Est. (000)	B.	Deaths from :—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Andhra Pradesh			"N.R."												
Assam			"N.R."												
Bihar			"N.R."												
Bombay															
Ahmedabad . . .	889	588	34.4	..	18	..	33	9	115	..	419	24.5	132		
Ahmednagar . . .	88	66	39.0	3	..	6	..	21	12.4	7		
Amalner . . .	50	31	32.2	16	..	1	..	23	23.9	2		
Baroda . . .	242	159	34.2	20	2	20	..	85	18.3	23		
Barsi . . .	46	35	39.6	7	..	1	..	22	24.9	8		
Bhusawal . . .	62	20	16.8	..	1	..	3	..	2	..	10	8.4	..		
Broach†															
Cambay . . .	41	23	29.2	1	1	..	19	24.1	1		
Chalisgaon . . .	35	25	37.1	9	11	16.3	5		
Dhulla . . .	89	42	24.5	7	..	8	..	22	12.9	4		
Godra . . .	40	28	36.4	4	7	9.1	1		
Greater Bombay . . .	3,449	1,246	18.8	..	38	..	2	26	141	2	772	11.6	171		
Jalgaon . . .	79	21	13.8	6	..	2	..	11	7.2	..		
Kalyan . . .	73	42	29.9	..	2	..	2	..	3	..	7	5.0	1		
Kolhapur . . .	159	89	29.1	1	2	1	..	15	4.9	3		
Malegaon . . .	63	33	27.2	23	1	2	..	28	23.1	7		
Miraj . . .	44	5	5.9	1	..	4	4.7	..		
Nadiad . . .	71	42	30.8	..	1	..	20	39	28.6	5		
Morvi . . .	43	12	14.5	..	1	..	4	5	6.0	2		
Aurangabad . . .	73	10	7.1	1	..	2	1.4	..		
Kamptee . . .	36	22	31.8	2	..	2	..	8	11.6	1		
Nagpur . . .	528	156	15.4	..	1	..	15	5	24	2	143	14.1	34		
Porbander . . .	64	46	37.4	15	..	3	..	31	25.2	6		
Hinganghat . . .	35	32	47.5	19	19	28.2	10		
Nanded . . .	80	34	22.1	2	..	1	..	5	3.3	..		
Bhavnagar . . .	157	59	19.5	9	2	8	1	29	9.6	2		
Achalpur . . .	38	33	45.2	3	..	1	..	8	10.9	2		
Gondia . . .	45	19	22.0	1	1	2	..	9	10.4	4		
Rajkot . . .	167	56	17.4	15	6	5	..	49	15.3	7		
Chanta . . .	43	16	19.3	1	3	1	..	16	19.3	4		
Jalna . . .	69	5	3.8	1	..	1	0.8	..		
Gondal . . .	41	17	21.6	1	..	1	..	4	5.1	..		
Yeotmal . . .	41	33	41.9	..	1	..	7	1	2	6	20	25.4	..		
Nandurbar . . .	35	20	29.7	1	..	7	10.4	1		
Nasik . . .	119	84	36.7	2	1	2	..	14	6.1	1		
Navasari . . .	50	33	34.3	..	4	..	4	12	12.5	1		
Pandharpur . . .	44	24	28.4	3	2	4	..	14	16.5	4		
Patana . . .	47	25	27.7	3	..	4	..	16	17.7	1		
Poona . . .	657	376	32.2	18	8	24	..	105	9.0	19		
Sangli . . .	58	27	24.2	2	1	1	..	13	11.7	2		
Satara . . .	40	38	49.4	..	1	..	2	14	18.2	4		
Sholapur . . .	299	229	39.8	17	2	47	1	103	17.9	1		
Surat . . .	250	157	32.7	5	1	17	..	76	15.8	16		
Thana . . .	61	26	22.2	1	..	1	..	12	10.2	2		
TOTAL . . .	8,590	4,084	24.7	..	68	..	297	74	457	12	2,250	13.6	511		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used: B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information. N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th March, 1957—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from:—									Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.			
Delhi State													
Delhi City .	1,124	360	16.6	33	1	16	..	101	4.7	23
New Delhi .	374	175	24.3	3	5	1	103	14.3	11
N.A.C. Civil Station, Delhi .	117	39	17.3	..	2	6	..	18	8.0	3
Delhi Cantt. .	50	10	10.4	3	..	4	4.2	2
Delhi-Shahadara	53	27	26.5	1	..	2	..	6	5.9	..
TOTAL .	1,718	611	18.5	..	2	..	34	4	32	1	232	7.0	39
Kerala													
Trivandrum .	218	30	7.2	3	2	5	..	32	7.6	..
Quilon .	75	53	36.7	..	4	..	2	..	2	..	11	7.6	1
Alleppey .	148	73	25.6	2	1	3	..	22	7.7	2
Kottayam .	50	53	55.1	1	3	3.1	2
Mattancherry .	85	69	42.2	1	..	1	..	15	9.2	3
Ernakulam .	70	25	18.6	3	..	3	..	18	13.4	2
Trichur .	77	24	16.2	1	..	6	4.1	..
Kozhikode .	176	159	47.8	..	1	..	5	3	5	7	72	21.3	18
Palghat .	77	40	27.0	..	1	1	1	3	28	18.9	1
Cannanore	47	25	27.7	1	1	1	11	12.2	3
Tellichery	42	44	54.5	13	16.1	4
Cochin .	32	34	55.2	1	..	1	..	8	13.0	18
TOTAL	1097	629	29.8	..	6	..	18	8	23	11	239	11.3	54
Madhya Pradesh													
"N.R."													
Madras													
Ambur .	44	37	43.7	1	3	4	..	11	13.0	4
Aruppukottal .	56	40	37.1	2	..	2	1	19	17.6	5
Bodinayakanpur†													
Chidambaram .	39	75	100.0	2	4	1	2	21	28.0	1
Colombatore .	234	204	45.3	18	16	1	102	22.7	21
Cuddalore .	74	76	53.4	..	1	3	1	..	25	17.6	9
Dindigul .	90	76	43.9	2	1	1	..	16	9.2	4
Erode .	67	51	39.6	..	13	1	20	15.5	3
Gobichetty Palyan	38	13	17.8	2	2	7	9.6	2
Guddiyattam .	53	55	54.0	1	4	4	..	20	19.6	6
Kancheepuram .	90	58	33.5	..	5	..	3	2	9	..	36	20.8	5
Karaikudi .	44	31	36.6	..	3	..	1	10	11.8	1
Karur .	50	32	33.3	..	1	..	1	..	2	..	10	10.4	1
Kumbakonam .	105	181	89.6	..	2	..	3	2	9	2	48	23.8	15
Madras .	1,703	1,368	41.8	..	8	..	89	101	179	5	697	21.3	187
Mathurai .	427	347	42.3	..	2	..	17	15	36	4	163	19.9	30
Mayuram†													
Malapalyam†													
Nagapattinam .	60	49	42.5	..	3	..	3	1	1	1	29	25.1	5
Ootacamund .	48	41	44.4	8	..	18	19.5	1
Palni .	40	27	35.1	7	..	14	18.2	3
Palayamkottal .	45	38	43.9	2	2	2	3	24	27.7	7
Periyakulam .	34	29	44.4	1	1	3	..	11	16.8	3
Pollachi .	51	45	45.9	2	3	1	..	24	24.5	6
Pudukottal .	50	55	57.2	1	..	2	..	18	18.7	7
Rajapalayam .	69	34	25.6	3	3	4	..	17	12.8	4
Salem†	241	130	28.1	..	5	..	7	5	9	1	59	12.7	4

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th March, 1957—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madras—contd.															
Srirangam . . .	42	5	6.2	1	1	1	1	13	16.1	..		
Srivilliputtur . . .	44	36	42.5	3	1	..	13	15.4	4		
Tanjore . . .	118	193	85.1	..	2	..	10	4	11	6	94	41.4	14		
Thiruvannamalai . . .	45	40	46.2	2	4	3	17	19.6	2		
Thirunelveli . . .	80	58	37.7	1	1	8	..	27	19.6	5		
Thiruppur . . .	63	50	41.3	1	7	5.8	2		
Thiruchirappalli . . .	251	91	18.9	..	4	..	5	8	15	..	114	23.6	10		
Nagercoil . . .	94	27	14.9	3	2	12	6.6	..		
Tuticorin† . . .															
Vaniyambadi . . .	43	38	46.0	4	1	..	9	10.8	1		
Vellore . . .	124	129	54.1	1	5	8	..	48	20.1	17		
Villupuram . . .	39	35	46.7	..	3	..	1	3	3	..	16	21.3	4		
Virudunagar . . .	53	41	40.2	3	1	10	9.8	1		
TOTAL . . .	4,748	3,835	42.0	..	52	..	168	205	353	31	1,799	19.7	394		
Mysore															
Bangalore . . .	977	711	37.8	..	2	..	12	67	112	..	314	16.7	..		
Mysore . . .	294	42	7.4	3	5	1	..	30	5.3	..		
Kolar Gold Fields . . .	173	72	21.6	3	2	2	..	31	9.3	..		
Bellary . . .	78	77	51.3	1	2	3	..	32	21.3	..		
Davangere . . .	69	45	33.9	8	2	31	23.4	..		
Shimoga . . .	57	52	47.4	20	1	23	21.0	..		
Hospet . . .	45	28	32.4	1	1	14	16.2	..		
Chitaldrug . . .	31	29	48.6	7	11.7	..		
Hassan . . .	30	2	3.5	4	6.9	..		
Belgaum . . .	110	78	36.9	1	..	3	..	15	7.1	..		
Bijapur . . .	75	32	22.2	2	1	8	5.5	..		
Dharwar . . .	76	32	21.9	1	15	10.3	..		
Mangalore . . .	136	81	31.0	1	5	..	23	8.8	..		
TOTAL . . .	2,151	1,281	31.0	..	2	..	52	80	126	2	547	13.2	..		
Orissa															
Berhampur. . .	72	55	39.7	..	1	..	2	2	2	..	14	10.1	2		
Cuttack . . .	117	107	47.6	8	3	6	2	43	19.1	6		
Puri† . . .															
TOTAL . . .	189	162	44.6	..	1	..	10	5	8	2	57	15.7	8		
Pondicherry															
"N.R."															
Punjab (I)															
Ambala . . .	65	35	28.0	1	1	1	..	6	4.8	3		
Amritsar . . .	343	177	26.8	1	16	..	45	6.8	9		
Batala . . .	62	24	20.1	2	..	3	..	7	5.9	1		
Bhatinda . . .	39	21	28.0	1	4	5.3	..		
Bhiwani . . .	57	45	41.3	4	..	1	..	12	11.0	3		
Ferozepore . . .	45	20	23.1	2	..	3	3.5	..		
Hissar . . .	39	19	25.3	5	7	9.3	2		
Hoshiarpur . . .	51	19	19.4	3	..	3	..	9	9.2	..		
Jullundur . . .	200	102	26.5	6	1	5	..	23	6.0	4		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th March, 1957—*contd.*

Deaths from :—														
Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Punjab (1)—contd.														
Karnal	72	25	18.1	1	4	2.9	1	
Ludhiana	176	95	28.1	9	..	1	..	18	5.3	1	
Moga	41	24	30.4	2	..	2	..	5	6.3	3	
Panipat	64	28	22.8	4	..	1	..	5	4.1	..	
Maler Kotla	34	29	44.3	4	..	1	..	6	9.2	..	
Pathankot	34	16	24.5	4	6.1	1	
Rewari	36	9	13.0	1	3	4.3	2	
Rohtak	105	38	18.8	2	..	5	..	12	6.0	5	
Patiala	111	20	9.4	8	3	2	..	27	12.6	3	
Simla	50	29	30.2	4	4.2	2	
Sonapat	34	22	33.6	2	2	3.1	1	
TOTAL	1,658	797	25.0	55	6	43	..	206	6.5	41	
Rajasthan														
Alwar	60	42	36.4	..	5	..	2	..	10	..	31	26.9	8	
Tonk	45	3	3.5	
Bikaner	117	40	17.8	3	1	5	..	20	8.9	2	
Churu	48	6	6.5	
Beawar	59	18	15.9	8	..	4	..	16	14.1	5	
Kotah	72	2	1.4	3	..	1	..	6	4.3	..	
Ajmer	223	63	14.7	..	2	..	5	2	12	..	33	7.7	6	
TOTAL	624	174	14.5	..	7	..	21	3	32	..	106	8.8	21	
Uttar Pradesh														
Agra	375	300	41.6	1	..	35	..	55	7.6	8	
Allahabad	349	148	22.1	..	3	..	1	1	33	..	60	9.0	8	
Amroha†														
Bahraich	47	15	16.6	3	5	5.5	..	
Banaras	383	179	24.3	17	1	15	..	122	16.6	18	
Ballia†														
Banda†														
Bareilly	203	44	11.3	8	2	12	1	26	6.7	4	
Budaun	54	15	14.4	3	..	3	..	9	8.7	1	
Basti†														
Bulandshahr†														
Chandauli	41	32	40.6	1	..	4	..	9	11.4	1	
Dehra Dun	146	30	10.7	3	1	6	..	23	8.2	1	
Etawah	64	21	17.1	2	2	7	..	15	12.2	2	
Faizabad-Ayodhya	88	18	10.6	1	..	3	..	9	5.3	3	
Farrukhabad-Fatehgarh	82	28	17.8	3	..	8	..	18	11.4	3	
Perozabad†														
Ghaziabad	46	24	27.1	1	3	3.4	..	
Ghaziipur	36	21	30.3	5	..	1	..	12	17.3	..	
Gorakhpur	140	80	29.7	7	3	5	..	26	9.7	3	
Gonda	35	6	9.0	1	..	1	..	3	4.5	1	
Hapur	49	31	32.9	2	5	5.3	1	
Hardwar†														
Hathras	62	44	37.0	6	..	6	..	16	13.4	1	
Jaunpur	56	20	18.6	3	..	3	..	11	10.2	1	
Jhansi	116	29	13.0	30	30	13.4	3	
Kanpur	734	338	24.0	..	2	..	100	21	43	8	295	20.9	83	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th March, 1957—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from —								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh—contd.														
Kasganj†														
Khurja†														
Koili-Aligarh . . .	150	25	8.7	7	..	1	..	13	4.5	2	
Lucknow . . .	494	181	19.1	14	2	23	..	117	12.3	24	
Mathura . . .	110	59	27.9	4	..	9	..	17	8.0	2	
Mau-Nath Bhanjan †														
Meerut . . .	185	80	22.5	4	..	8	..	16	4.5	4	
Mirzapur Vindhyachal	97	44	23.6	6	1	17	9.1	5	
Moradabad . . .	164	56	17.8	2	14	..	28	8.9	8	
Muzaffarnagar . . .	74	43	30.2	1	2	..	8	5.7	2	
Pilibhit . . .	45	15	17.3	..	2	..	1	1	3	..	10	11.6	..	
Rampur†														
Saharanpur . . .	162	94	30.2	31	1	5	..	47	15.1	10	
Sambhal . . .	65	73	58.4	6	2	7	..	25	20.0	4	
Shahjahanpur†														
Sitapur . . .	49	15	15.9	2	..	1	..	4	4.2	1	
TOTAL . . .	4,701	2,108	23.3	..	7	..	273	41	258	9	1,054	11.7	204	

West Bengal

"N.R."

ARREAR RETURNS

Madhya Pradesh				<i>w/e 19-1-1957.</i>										
Indore . . .	368	156	22.0	5	2	12	..	61	8.6	14	
Greater Gwalior . . .	273	56	10.7	4	..	3	..	12	2.3	..	
Khandwa . . .	59	28	24.7	1	5	4.4	..	
Bhushanpur . . .	79	49	32.3	7	2	4	..	23	15.1	..	
Ujjain . . .	156	40	13.3	6	1	29	9.7	10	
Sagar . . .	75	20	13.9	3	..	1	..	9	6.2	..	
Chhindwara . . .	31	17	28.5	3	1	10	16.8	2	
Bilaspur . . .	40	14	18.2	2	6	7.8	..	
Mandsaur . . .	41	11	14.0	1	2	2.5	1	
Raigarh . . .	35	12	17.8	3	6	8.9	1	
TOTAL . . .	1,157	403	18.1	35	5	20	1	163	7.3	28	
<i>w/e 26-1-1957</i>														
Indore . . .	368	406	57.6	15	..	72	10.2	15	
Greater Gwalior . . .	273	68	13.0	3	..	3	..	9	1.7	..	
Ujjain . . .	156	51	17.0	2	2	..	1	28	9.3	10	
Khandwa . . .	59	22	19.4	4	8	7.1	..	
Bushanpur . . .	79	54	35.5	6	..	6	..	17	11.2	..	
Bilaspur . . .	40	16	20.8	2	9	11.7	2	
Chhindwara . . .	31	36	60.4	4	..	3	..	18	30.2	6	
Mandsaur . . .	41	12	15.2	1	2	2.5	1	
Sagar . . .	75	16	11.1	3	..	1	..	8	5.5	..	
TOTAL . . .	1,122	681	31.6	25	2	28	1	171	7.9	34	
<i>w/e 9-3-1957</i>														
Jaipur . . .	353	67	9.9	44	12	6	2	130	19.2	46	
Jouls . . .	45	10	11.6	1	..	1	..	3	3.5	..	
Bikaner . . .	117	80	35.6	2	3	8	1	40	17.8	12	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B. R. = Birth Rate ; C = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; = Nil information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th March, 1957—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Rajasthan—<i>contd.</i>		<i>w/e 9-3-1957—contd.</i>											
Churu . . .	48	3	3.3	1	2	2.2	..
Ganganagar . . .	47	7	7.7	..	12	..	2	..	1	..	16	17.7	1
Beawar . . .	59	18	15.9	..	1	..	11	..	3	..	21	18.5	3
Kotah . . .	72	5	3.6	3	..	3	..	10	7.2	..
Ajmer . . .	223	67	15.6	5	1	13	..	31	7.2	7
TOTAL . . .	964	257	13.9	..	13	..	69	16	35	3	253	13.6	69
Pondicherry		<i>w/e 16-2-1957</i>											
Pondicherry . . .	68	54	41.3	..	2	..	4	3	2	2	35	26.8	21
		<i>w/e 23-2-1957</i>											
Pondicherry . . .	68	102	78.0	..	7	..	3	4	6	2	41	31.4	21
		<i>w/e 2-2-1957</i>											
Pondicherry . . .	68	70	53.5	3	2	5	1	31	23.7	20
Jammu & Kashmir		<i>w/e 5-1-1957</i>											
Srinagar . . .	242	127	27.3	3	..	3	..	13	2.8	..
		<i>w/e 2-1-1957</i>											
Srinagar . . .	242	110	23.6	1	5	..	15	3.2	..
		<i>w/e 19-1-1957</i>											
Srinagar . . .	242	152	32.7	4	..	6	2	36	7.7	5
		<i>w/e 26-1-1957</i>											
Srinagar . . .	242	117	25.1	3	..	9	..	29	6.2	2
Madhya Pradesh		<i>w/e 5-1-1957</i>											
Chhindwara . . .	31	17	28.5	1	7	11.7	4
Bilaspur . . .	40	16	20.8	4	..	1	..	11	14.3	1
Raigarh . . .	35	10	14.9	1	3	4.5	..
Khandwa . . .	59	13	11.5	3	11	9.7	..
Bushanpur . . .	79	56	36.9	2	2	10	6.6	..
Greater Gwalior . . .	273	87	16.6	4	..	2	..	17	3.2	..
Indore . . .	368	175	24.7	5	4	8	..	67	9.5	20
Ujjain . . .	156	40	13.3	12	1	..	1	31	10.3	7
Mandsaur . . .	41	18	22.8	3	6	7.6	..
Ratlam . . .	73	19	13.5	10	..	7	..	25	17.8	..
TOTAL . . .	1,155	451	20.3	45	7	18	1	188	8.5	32
		<i>w/e 12-1-1957</i>											
Chhindwara . . .	31	22	36.9	1	..	1	..	4	6.7	7
Khandwa . . .	59	21	18.5	6	9	7.9	..
Bushanpur . . .	79	73	48.1	4	..	3	..	11	7.2	..
Bilaspur . . .	40	27	35.1	1	6	7.8	1
Indore . . .	368	123	17.4	5	1	15	..	65	9.2	17
Ujjain . . .	156	42	14.0	4	29	9.7	10

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births, B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (Included in total deaths); ..—Nil Information;

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the weekending the 24th November, 1956—*concl'd.*

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh		<i>w/e 12-1-1957—contd.</i>											
Greater Gwalior . . .	273	118	22.5	6	12	2.3	..
Mandsaur . . .	41	14	17.8	4	6	7.6	3
Ratlam . . .	73	28	19.9	6	..	5	..	16	11.4	..
Raigarh . . .	35	3	4.5	2	6	8.9	2
Total	1,155	471	21.2	1.1	39	1	24	..	164	7.4	40
		<i>Arrear for the w/e 30-11-1956</i>											
Chhindwara . . .	31	16	26.8	2	..	2	..	15	25.2	2
Mandsaur . . .	41	5	6.3	2	2.5	..
		<i>Arrear for the w/e 8-12-1956</i>											
Sagar . . .	75	28	19.4	1	..	1	..	12	8.3	..
Punjab		<i>Arrear for w/e 9-3-1957</i>											
Patiala . . .	111	80	37.5	5	..	1	..	8	3.7	3
Kerala		<i>Supplementary for w/e 9-3-57</i>											
Ernakulam . . .	70	4	3.0	3	2.2	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B=Births; B. R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.

REMARKS

The figures of births and deaths of India shown in this statement for week ending the 16th March, 1957 relate to 169 towns with an estimated population of 25,476 thousands. Information about Andhra Pradesh, Assam, Bihar, Madhya Pradesh, Pondicherry and West Bengal could not be included. The total number of towns is 318 and their population is 41,584 thousands. Thus 53% of the total number of towns representing 61% of the total population

is covered in this statement. The number of births and deaths recorded in these towns were 13,681 and 6,490 representing birth and death rates of 27.9 and 13.2 per thousand of population respectively.

No town recorded a high death rate of 50 or above per thousand of population. The following table gives the position by States :—

States	Current w/c 16-3-57		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Bombay	24.7	13.6	26.8	12.9
Delhi	18.5	7.0	28.0	6.7
Kerala	29.8	11.3	37.2	8.0
Madras	42.0	19.7	43.7	19.2
Mysore	31.0	13.2	28.7	13.2
Orissa	44.6	15.7	55.9	14.8
Punjab	25.0	6.5	38.6	7.5
Rajasthan . . .	14.5	8.8	9.8	8.3
Uttar Pradesh .	23.3	11.7	33.7	12.2
India	27.9	13.2	33.0	13.1

8 States and 1 Centrally administered.

NEW DELHI-2 (INDIA);
The 8th March, 1957.

}

K. MITRA,
for Registrar General, India.